



Drupal でニュースサイトを作ってみよう

Drupal を基礎から学ぶワークショップ

TB Magz デザインテンプレートでの設定サンプル

開催日 2014 年 9 月 18 日(木) 18:30-20:45

目次

I.	ニュース、マガジンサイトを作ってみよう！	2
	必要となる Drupal と拡張モジュール	
	デザインテーマのインストール	
II.	標準の Drupal 7 で TB Magz の機能を学ぶ.....	5
	システム環境	
	Drupal 7 の環境	
III.	イメージスタイルの作成	6
	画像スタイルの設定	
IV.	タクソノミーの作成	8
	Article のためのタクソノミーを作成	
V.	コンテンツタイプの修正と作成.....	12
	Article コンテンツタイプの修正	
	Slideshow Article コンテンツタイプの追加	
	Video Article コンテンツタイプの追加	
	Blog コンテンツタイプの修正	
	Blog コンテンツタイプの修正	
VI.	ヘッドライン	19
	モジュールの追加	
	ヘッドラインの View 作成	
VII.	ページの作成	23
VIII.	クレジット、謝辞、ライセンス.....	40
	クレジット	
	謝辞	
	ライセンス	


ニュース、マガジンサイトを作ってみよう！

Drupal 7 でニュースやマガジン向けのサイトを作る場合のサンプルとして、Drupal での設定や定義について、学びます。デザインのテンプレートとしては、Themebrain 社の TB Magz というデザインテンプレートをもとにしています。

デモサイト：<http://demo.themebrain.com/#magz>

構築ガイド：<http://www.themebrain.com/guide/how-build-tb-magz>

デザインスクリーンショット



themebtrain

TB Magz PREMIUM

Get it now!

f

t

8+

✕

||

image

NEW POSTS

PHOTOS

VIDEOS

📁

👤

🔍

POPULAR.

NEWS

Neil Gaiman | 7 months 3 weeks ago

Holiday travel deals before fares take off

Fusce ac orci felis. Cras suscipit ultrices lacus, vel fringilla quam venenatis tincidunt. Etiam in gravida leo, imperdiet tempus mi.

Hits: 1,257 | 3 Comments

NEWS

Neil Gaiman | 8 months 1 week ago

Coffee keeps its high rating as global demand grows

Aenean erat lectus, fringilla eget lacus eu, ultrices tincidunt justo. Ut et mi vitae urna vulputate iaculis non eu nulla.

Hits: 482 | 1 Comment

LIFE

Neil Gaiman | 7 months 3 weeks ago

Go With Your All Heart

Etiam a vestibulum elit. Phasellus vel urna porttitor, vulputate ipsum id, scelerisque leo.

Hits: 338 | 0 Comments

LIFE

Nick Hornby | 7 months 3 weeks ago

Live Your Purpose

Sed condimentum sit amet ante scelerisque sollicitudin. Ut at nisl sem. Sed a blandit erat, vel tempor ante?

Hits: 267 | 0 Comments

SPORT

Nick Hornby | 7 months 3 weeks ago

Watchdog questions \$174G death benefit for millionaire senator's wife

In ut interdum nisl. Curabitur facilisis leo a libero tincidunt; sed vehicula enim dignissim! Integer a faucibus nulla?

Hits: 263 | 0 Comments

LIFE

Norman Mailer | 8 months 1 week ago

Do What You Love

Pellentesque erat urna, porta eu nibh consectetur, molestie ultrices magna. Aliquam et turpis scelerisque velit sollicitudin interdum!

Hits: 227 | 1 Comment

Go With All Your Heart


from Sevenly PRO

⏮

⏭

1

3



このデザインテンプレートはさまざまメディア関連事業で使える汎用デザインとして開発されており、さまざまな機能や要素が組み込まれております。本勉強会では、時間の制限があり、簡単に自分の

Drupal 7 の標準環境で設定の練習ができように、機能を省略しております。少しでも、Drupal でサイト構築する際に参考になればと思います。

必要となる Drupal と拡張モジュール

Drupal 7 最新版 (必要となるコアモジュール Blog, Contact, Forum, PHP Filter, Poll)

拡張モジュール: インストール後に実行します。下記のモジュールはデザインテンプレートのすべての機能を使う場合です。

CCK	Cs Adaptive Image	cTools	Entity Reference	Field group
Field Slideshow	Jcarousel	Jquery Plugin	Libraries	Menu Attributes
Menu Breadcrumb	Pathauto	Quicktabs	Similar Terms	Superfish
Taxonomy Menu	Token	Video Embed Field	Views	Views_field_view
Views field sets	Views Load More	Views Menu area	Views Slideshow	
Webform	Wysiwyg	Youtube		

デザインテーマのインストール

サンプルの TB Magz デザインテンプレートを使う場合は、Themebrain 社のサイトから購入しインストールします。79USD 前後です。デザインテーマだけと Drupal や設定済のデモデータが組み込まれているデモパッケージの2種類があります。

詳しくは、<http://www.themebrain.com/drupal-theme/tb-magz>

本資料は以下のサイトにもとづいて作成しました。

<http://www.themebrain.com/guide/how-build-tb-magz>

ワークショップの約2時間ではすべて説明できませんので上記のサイトで学んで下さい。

標準の Drupal 7 で TB Magz の機能を学ぶ

有料の TB Magz デザインテンプレートではなく、Drupal 7 の標準デザイン Bartik 7.31 でサイトを作る場合の説明です。すべての説明はできませんが、Drupal 7 を学ぶ参考にしてください。

システム環境

Debian Linux PHP 5.4.4-14+deb7u12 MySQL 5.5.38-0+wheezy1 Drupal 7.31 (ほか)

Drupal 7 の環境

Drupal 7.31 を通常インストールし、英語から日本語環境に変更しただけの状態です。

イメージスタイルの作成

画像スタイルの設定

管理画面 → 環境設定 → メディア 画像スタイル

以下の画像スタイルに、blog, gallery, gallery_colorbox, our_business, our_clients, our_staffs, popular, quicktabs, slideshow を追加します。

画像スタイル

WorkShop TB-Cornal

ホーム » 管理 » 環境設定 » メディア

拡張とトリミングを使った一般的にサムネイルに利用される画像スタイルですが、画像が表示される前に様々なエフェクトを追加することも可能です。スタイルを適用された画像が表示される時、新しいファイルが生成され、元の画像はそのままの形で残ります。

[+ スタイルの追加](#)

スタイル名	環境設定	操作
Thumbnail (100x100)	デフォルト	編集
Medium (220x220)	デフォルト	編集
Large (480x480)	デフォルト	編集

システム内部名称は小文字の英数字で同じ文字になります。もし、日本語の画像スタイル名称などを使う場合は小文字の英数字に変更します。

ホーム » 管理 » 環境設定 » メディア » 画像スタイル

スタイル名 *

Avatar 130x130

システム内部名称: avatar_130x130 [\[編集\]](#)

新しいスタイルを作成

縮尺とトリミング

[ホーム](#) » [管理](#) » [環境設定](#) » [メディア](#) » [画像スタイル](#) » [スタイルの編集](#)

拡大縮小とトリミングは元画像の縦横比を維持し、大きい側をトリミングします。:

幅 *

ピクセル

高さ *

ピクセル

エフェクトの追加

[キャンセル](#)

同様に以下の設定を行います。

Image style name	Effect style	Width	Height
Avatar 62x62	Scale and crop	62	62
Featured	Scale and crop	470	264
Featured Posts	Scale and crop	141	81
Featured View	Scale and crop	130	73
Featured View: Tablet Portrait	Scale and crop	274	153
Featured: Mobile Landscape	Scale and crop	681	381
Featured: Tablet Portrait	Scale and crop	904	507
Image (300 x 169)	Scale and crop	300	169
img 631x297	Scale and crop	631	297
Latest	Scale and crop	215	121
Latest: Mobile Landscape	Scale and crop	684	384

Photos Page	Scale and crop	214	120
Photos Page: Mobile Portrait	Scale and crop	443	248
popular	Scale and crop	300	169
Popular: Mobile Landscape	Scale and crop	648	358
slideshow	Scale and crop	920	240
Slideshow-article	Scale and crop	640	360
Thumbnail(130x73)	Scale and crop	130	73
Medium (214x120)	Scale and crop	214	120
Large (640x360)	Scale and crop	640	360

タクソノミーの作成

Article のためのタクソノミーを作成

管理画面 → サイト構築 → タクソノミー → ボキャブラリーの追加

[ホーム](#) » [管理](#) » [サイト構築](#)

タクソノミーはコンテンツを分類します。タームはボキャブラリーで分類されます。例え

[+ ボキャブラリーの追加](#)

ボキャブラリーの名称	操作
Tags	ボキャブラリーの編集

Articles というボキャブラリーの追加

名前 *

Articles

システム内部名称: articles [編集](#)

説明

Articles

保存

Articles のボキャブラリーに Demo articles というタームを追加

名前 *

Demo articles

説明

Sample articles used for Demo only.

Categories というボキャブラリーを追加

[ホーム](#) » [管理](#) » [サイト構築](#) » [タクソノミー](#)

名前 *

Categories

システム内部名称: categories [編集](#)

説明

保存

Categories のボキャブラリーで、フィールドの管理にて、color フィールドを追加します。

Categories

リスト

編集

フィールドの管理

表示管理

ホーム
>
管理
>
サイト構築
>
タクソノミー
>
Categories

Show row weights

ラベル	システム内部名称	フィールドタイプ	ウィジェット	操作
+ 名前	name	タームの名称用テキストフィールド		
+ 説明	description	タームの説明用テキストエリア		
+ フィールドを追加				
color ラベル	field_color 編集	リスト(テキスト) 保存データ形式。	選択リスト データ編集用フォーム要素。	
+ 既存のフィールドを追加				
 ラベル	- 存在するフィールドから選択 -		- ウィジェットを選択 -	
	共用するフィールド		データ編集用フォーム要素。	

保存

フィールドの選択リストに以下の項目を追加します。

フィールドの設定

フィールド `color` の変更は、利用されているとすると変更できなくなります。

リストに利用可能な値

```
green|Green
red|Red
pink|Pink
grey|Grey
blue|Blue
orange|Orange
```

以下のテキストを「リストに利用可能な値」に挿入します。

```
green|Green
red|Red
pink|Pink
grey|Grey
blue|Blue
orange|Orange
```

Categories の表示管理で、color のラベルとフォーマットを非表示にし、保存します。

フィールド	ラベル	フォーマット
+ 説明		表示 ▼
非表示		
+ color	<非表示> ▼	<非表示> ▼

Categories のボキャブラリーにタームを追加します。Life は Pink、Money は Green、News は Blue、Politics は Grey、Sport は Red、Tech は Orange に設定します。

[ホーム](#) » [管理](#) » [サイト構築](#) » [タクソノミー](#) » [Categories](#)

名前 *

Life

説明

テキストフォーマット Filtered HTML ▼

- ウェブページアドレスとメールアドレスは、自動的にハイパーリンクに変換さ
- 使用できるHTMLタグ: <a> <cite> <blockquote>
- 行と段落は自動的に折り返されます。

URLエイリアス

この単語を使ってアクセスできるようにする追加の代替URL。相対パスを使

color

Pink ▼

以下ようになります。

名前
✚ Life
✚ Money
✚ News
✚ Politics
✚ Sport
✚ Tech

コンテンツタイプの修正と作成

Article コンテンツタイプの修正

管理画面 → サイト構築 → コンテンツタイプ → Article → フィールドの管理

Category のフィールドを追加します。フィールドタイプはターム参照、ウィジェットは選択リストです。

ラベル	システム内部名称	フィールドタイプ	ウィジェット	
✚ Title	title	NodeモジュールのエLEMENT		
✚ Tags	field_tags	ターム参照	タームの自動補完ウィジェット(タグ付け)	編集
✚ Body	body	長い文章と概要	テキストエリアと概要	編集
✚ Image	field_image	画像	画像	編集
✚ フィールドを追加				
Category ラベル	field_category [編集]	ターム参照 保存データ形式。	選択リスト データ編集用フォーム要素。	
✚ 既存のフィールドを追加				

保存し、フィールドの設定のボキャブラリーは **Categories** を選択し、保存します。

フィールドの設定

フィールド *Category* の変更は、利用されてい作成すると変更できなくなります。

ボキャブラリー *

このフィールドで選択できるボキャブラリー

Article 設定では、「**要求されるフィールド**」をチェックし、必須項目となります。

ARTICLE 設定

この設定は、タイプ *Article* 内で利用される場合、フィールド *Category* のみに適用されます。

ラベル *

☒ 要求されるフィールド

ヘルプテキスト

さらに、Image フィールドの**編集**をクリックします。

+	Tags	field_tags	ターム参照	タームの自動補完ウィジェット(タグ付け)	編集	削除
+	Image	field_image	画像	画像	編集	削除
+	Category	field_category	ターム参照	選択リスト	編集	削除
+	フィールドを追加					

Category と同様に、「**要求されるフィールド**」をチェックし、必須項目となります。

ARTICLE 設定

この設定は、タイプ *Article* 内で利用される場合、フィールド *Image* のみに適用されます。

ラベル *

☒ 要求されるフィールド

ヘルプテキスト

「表示管理」デフォルトで、以下のように変更します。Image の画像のスタイル Large(640x360) ほか。

フィールド	ラベル	フォーマット
Category	<非表示>	リンク
Image	<非表示>	画像 画像のスタイル: Large(640x360)
Body	<非表示>	デフォルト
Tags	インライン	リンク
非表示 隠されたフィールドはありません。		

「表示管理」ティーザーも、以下のように変更します。Image の画像のスタイル や Body など。

フィールド	ウェイト	親	ラベル	フォーマット
Image	0	- なし -	<非表示>	画像 画像のスタイル: Medium(214x120) コンテンツへリンクされている
Body	1	- なし -	<非表示>	概要か切り詰め 長さを整える。: 200
Tags	2	- なし -	インライン	リンク
非表示				
Category	0	- なし -	上部	<非表示>

Slideshow Article コンテンツタイプの追加

Slideshow、今回は省略します。前回の Slideshow などを参考にします。

Video Article コンテンツタイプの追加

モジュールの追加

Video Embed Field モジュール： https://www.drupal.org/project/video_embed_field

Ctools モジュール： <https://www.drupal.org/project/ctools>

Youtube や Vimeo と連携し、サムネイルプレビューを表示する

☐	Video Embed Brightcove	7.x-2.0-beta8	Provides Brightcove handler for Video Embed Fields. Video Embed Field (有効), Chaos tools (有効), Image (有効), File (有効), Field (有効), Field SQL storage (有効) が必要	
☐	Video Embed Facebook	7.x-2.0-beta8	Provides Facebook handler for Video Embed Fields. This module also serves as an example of how to add handlers to video embed field. Video Embed Field (有効), Chaos tools (有効), Image (有効), File (有効), Field (有効), Field SQL storage (有効) が必要	
☒	Video Embed Field	7.x-2.0-beta8	Expose a field type for embedding videos from youtube or vimeo. Chaos tools (有効), Image (有効), File (有効), Field (有効), Field SQL storage (有効) が必要 Video Embed Brightcove (無効), Video Embed Facebook (無効) が必要	権限 設定
☒	Chaos tools	7.x-1.4	A library of helpful tools by Merlin of Chaos. Bulk Export (無効), Custom rulesets (無効), Chaos Tools (CTools) AJAX Example (無効), Custom content panes (無効), Page manager (無効), Chaos Tools (CTools) Plugin Example (無効), Stylizer (無効), Term Depth access (無効), Video Embed Field (有効), Video Embed Brightcove (無効), Video Embed Facebook (無効), Views content panes (無効) が必要	

Video Embed Field の設定、デフォルトの設定で。

Administrative title

Normal システム内部名称: normal
This will appear in the administrative interface to easily identify it.

Youtube settings Vimeo settings 	Player Width 640 The width of the youtube player. Player Height 360 The height of the youtube player. Player theme Dark ☐ Autoplay Play the video immediately. Video quality Large (480p)
--	---

Video フィールドを追加します。

フィールドを追加					
Video	-3	- なし -	field_video [編集]	Video Embed	Video
ラベル				保存データ形式。	データ編集用フォーム要素。

既存のフィールドからタクソノミーのカテゴリを追加します。

既存のフィールドを追加

Category	-1	- なし -	ターム参照: field_category (Category)	選択リスト
ラベル			共有するフィールド	データ編集用フォーム要素。

Article Type フィールドの作成（本来は Slideshow 作成で実行する）

フィールドを追加

Article Type	0	- なし -	field_article_type [編集]	リスト(テキスト)	選択リスト
ラベル				保存データ形式。	データ編集用フォーム要素。

フィールドの設定で、以下のように入力します。

フィールドの設定

フィールド *Article Type* の変更は、利用:
を作成すると変更できなくなります。

リストに利用可能な値

facetime-video|Video
camera|Slideshow

入力するテキスト

facetime-video|Video
camera|Slideshow

Background フィールドの作成（本来は Slideshow 作成で実行する）

フィールドを追加

Background	1	- なし -	field_background [編集]	リスト(テキスト)	選択リスト
ラベル				保存データ形式。	データ編集用フォーム要素。

フィールドの設定で、以下のように入力します。

フィールドの設定

フィールド“*Background*”の変更は、*フィールド*を作成すると変更できなくなります。

リストに利用可能な値

black-bg|Black Background

入力するテキスト

black-bg|Black Background

既存のフィールドからタグを追加します。

既存のフィールドを追加

Tags	3	- なし -	ターム参照: field_tags (Tags)	タームの自動補完ウィジェット(タグ付け)
ラベル			共用するフィールド	データ編集用フォーム要素。

表示管理で以下のように設定します。

フィールド	ラベル	フォーマット	
+ Video	<非表示>	Video Player	Video style: Normal
+ Body	<非表示>	デフォルト	
+ Category	<非表示>	リンク	
+ Tags	インライン	リンク	
非表示			
+ Background	上部	<非表示>	
+ Article Type	上部	<非表示>	

ティザーも以下のように設定します。

フィールド	ラベル	フォーマット	
+ Body	<非表示>	概要か切り詰め	長さを整える。: 600
非表示			
+ Tags	上部	<非表示>	
+ Background	上部	<非表示>	

Blog コンテンツタイプの修正

モジュールの有効化

管理画面 → モジュール

コマの Blog モジュールを有効にする

☒	Blog	7.31	マルチユーザーブログを有効にします。
-------------------------------------	-------------	------	--------------------

Blog コンテンツタイプの修正

管理画面 → サイト構築 → コンテンツタイプ → ブログエントリー → フィールドの管理

Image フィールドを追加します。 フィールド名は field_blog_image

+ フィールドを追加

Image
ラベル

field_ blog_image
システム内部名称。半角英数字とアンダー スコアにより構成されます。

画像
保存データ形式。

画像
データ編集用フォーム要素。

保存先を定義します。例えば、 field/blog

ファイルディレクトリー

field/blog

アップロードされたファイルが保存されるサブディレクトリー (オプション)。 

表示管理のデフォルトは以下のように設定します。

フィールド	ウェイト	親	ラベル	フォーマット	
Image	1	- なし -	<非表示>	画像	画像のスタイル: Large(640x360) コンテンツへリンクされている 
Body	2	- なし -	<非表示>	デフォルト	

非表示

隠されたフィールドはありません。

▶ [カスタムの表示設定](#)

ティーザーも以下のように設定します。


フィールド	ウェイト	親	ラベル	フォーマット	
Image	1	- なし -	<非表示>	画像	画像のスタイル: img 631x297 コンテンツへリンクされている
Body	2	- なし -	<非表示>	概要か切り詰め	長さを整える.: 600

非表示

隠されたフィールドはありません。

ヘッドライン

トップページの最上部にあるヘッドラインの設定です。



モジュールの追加

- 1 Ctools モジュール (Views で必要、設定済) <https://www.drupal.org/project/ctools>

			A library of helpful tools by Merlin of Chaos.
☒	Chaos tools	7.x-1.4	Bulk Export (無効), Custom rulesets (無効), Chaos Tools (CTools) AJAX Example (無効), Custom content panes (無効), Page manager (無効), Chaos Tools (CTools) Plugin Example (無効), Stylizer (無効), Term Depth access (無効), Views (有効), Views content panes (無効), Views Slideshow (有効), Views Slideshow: Cycle (有効), Views UI (有効) に必要

- 2 Views モジュール <https://www.drupal.org/project/views>
- 3 Libraries モジュール (Views Slideshow で必要)
<https://www.drupal.org/project/libraries>
- 4 J Query cycle plugin スクリプト (Views Slideshow で必要)
<http://malsup.com/jquery/cycle/download.html>
- 5 Views Slideshow モジュール https://www.drupal.org/project/views_slideshow

☒	Views	7.x-3.8	Create customized lists and queries from your database. Chaos tools (有効) が必要 Views content panes (無効), Views Slideshow (有効), Views Slideshow: Cycle (有効), Views UI (有効) に必要
☒	Views Slideshow	7.x-3.1	Provides a View style that displays rows as a jQuery slideshow. This is an API and requires Views Slideshow Cycle or another module that supports the API. Views (有効), Chaos tools (有効) が必要 Views Slideshow: Cycle (有効) に必要
☒	Views Slideshow: Cycle	7.x-3.1	Adds a Rotating slideshow mode to Views Slideshow. Views Slideshow (有効), Views (有効), Chaos tools (有効), Libraries (有効), System (有効) が必要
☒	Views UI	7.x-3.8	Administrative interface to views. Without this module, you cannot create or edit your views. Views (有効), Chaos tools (有効) が必要

Libraries モジュールをインストールする際に、sites/all/libraries ディレクトリを作成します。jQuery cycle plugin スクリプトをインストールするには、sites/all/libraries/jquery.cycle ディレクトリを作成し、そこに、ダウンロードした jquery.cycle.all.min.js もしくは jquery.cycle.all.js をコピーします。このプラグインについては、<http://malsup.com/jquery/cycle> を参照して下さい。

ヘッダーの View 作成

管理画面 → サイト構築 → Views → Add new view

Breaking News という View を作成します。コンテンツタイプは Video Article、ブロックだけ作成します。Display format は Slideshow で fields を設定します。

View name *システム内部名称: breaking_news [\[編集\]](#)☐ **説明**表示 of type ☐ **Create a page**☒ **Create a block**

ブロックのタイトル

Display format

of

Items per page

「Continue and edit」をクリックします。その後、「フォーマット」の「環境設定」をクリック。
Cycle オプションは scrollRight を選択します。

Slides

Slideshow Type**▼ CYCLE OPTIONS****Transition**

効果

The transition effect th
depending on the effe

FILTER CRITERIA で追加をクリックし、**コンテンツ : タイプ**を選択します。

☐ コンテンツ: タイトル
The content title.

☒ コンテンツ: タイプ
The content type (for example, "blog entry", "forum post", "story", etc).

☐ コンテンツ: フロントページへ掲載
Whether or not the content is promoted to the front page.

☐ コンテンツ: 掲載

Article (記事) を選択します。

Configure filter criterion: コンテンツ: タイプ

For

The content type (for example, "blog entry", "forum post", "story", etc).

☐ Expose this filter to visitors, to allow them to change it

Operator

☒ Is one of
☐ Is not one of

コンテンツタイプ

☐ Select all
☐ Video Article
☐ ブログエントリー
☐ 基本ページ
☒ 記事

CSS クラスの追加設定

Link display: なし

CSS class: なし

Theme: Information

Block caching: Do not cache

この CSS 名は TB-Magz デザインテンプレートで定義されています。今回は参考まで。View の保存。

Block: CSS class

For

The CSS class names will be added to the view. This < define multiples classes separated by spaces.

ブロックの設定

管理画面 → サイト構築 → ブロック → Views: Breaking News: Block

Bartik デザインテンプレートの場合は、例えば、「ヘッダー」に設定します。

ヘッダー

View: Breaking News: Block

ヘッダー

0

設定

ヘルプ

ページの作成

トップページに相当するフロントページ、写真のページ、新規記事のページ、動画のページなどを作成します。

フロントページの作成

モジュールの追加

Views Menu area モジュール : https://www.drupal.org/project/views_menuarea

☒	Views Menu Area	7.x-1.0	Provides an area plugin for Views 3 to attach whole menus. Views (有効), Chaos tools (有効) が必要
-------------------------------------	------------------------	---------	--

CS Adaptive Image モジュール : https://www.drupal.org/project/cs_adaptive_image

☒	Client-side adaptive image	7.x-1.0	Provides an image field formatter that allows you to select appropriate image styles for various client widths. Image (有効), File (有効), Field (有効), Field SQL storage (有効) が必要
-------------------------------------	-----------------------------------	---------	--

Views Load More モジュール : https://www.drupal.org/project/views_load_more

☒	Views Load More	7.x-1.4	A pager plugin for views. Gives users the option to add a 'more' button to a view and have the results appended to existing results being displayed. Views (有効), Chaos tools (有効) が必要
-------------------------------------	------------------------	---------	--

Grid レイアウト

管理画面 → サイト構築 → Views → Add new view

View name *

Grid Layout

システム内部名称: `grid_layout` [\[編集\]](#)

☐ 説明

表示 コンテンツ

of type

すべて

tagged with

Newest first

☒ Create a page

ページのタイトル

パス

`http://debian1/work/workshop/tb_magz/drupal/` `frontpage`

Display format

Grid

of

fields

Items to display

8

☒ Use a pager

☐ Create a menu link

☐ Include an RSS feed

☐ Create a block

「Continue & Edit」をクリックします。 フォーマットの環境設定

Grouping field Nr.1

- なし -

You may optionally specify a field by which to group the records. Leave blank

Row class

The class to provide on each row. You may use field tokens from as per the "If
"Rewrite the output of this field" for all fields.

☒ Add views row classes

Add the default row classes like views-row-1 to the output. You can use th
markup the view provides by default, at the cost of making it more difficult

☒ Add striping (odd/even), first/last row classes

Add css classes to the first and last line, as well as odd/even classes for st

Number of columns *

4

Alignment

☒ Horizontal

☐ Vertical

Horizontal alignment will place items starting in the upper left and moving rig
starting in the upper left and moving down.

☒ Fill up single line

If you disable this option, a grid with only one row will have the same num
Disabling it can cause problems with your CSS.

Short description of table

Include a caption for better accessibility of your table.

Table summary

This value will be displayed as table-summary attribute in the html. Use this t

Relationship でコンテンツ:Author(投稿者)を追加します。

... suppressed records if there are more

☒ コンテンツ: 投稿者
Relate content to the user who created it.

そのままの設定

Relate content to the user who created it.

Identifier *

author

Edit the administrative label displayed when referencing this relationship

☐ **Require this relationship**

Enable to hide items that do not contain this relationship

フィールドに追加します。コンテンツ: Category を追加。

☐ コンテンツ: **Body**

Appears in: node:page, node:article, node:vid

☒ コンテンツ: **Category**

Appears in: node:article, node:video_article.

☐ コンテンツ: **Comment status**

Whether comments are enabled or disabled on

Create a label をチェック OFF

Appears in: node:article, node:video_article.

☐ **Create a label**

Enable to create a label for this field.

☐ **Exclude from display**

Enable to load this field as hidden. Often used

Formatter

リンク

▶ **STYLE SETTINGS**

▶ **REWRITE RESULTS**

▶ **NO RESULTS BEHAVIOR**

▶ **続き**

コンテンツ: Article Type を追加。

- ☐ コンテンツ: All taxonomy terms
Display all taxonomy terms associa
- ☒ コンテンツ: Article Type
Appears in: node:video_article.
- ☐ コンテンツ: Author uid
The user authoring the content. If y

Appears in: node:video_article.

- ☐ Create a label
Enable to create a label for this field.
- ☒ Exclude from display
Enable to load this field as hidden. Oft

Formatter

キー 

▶ [STYLE SETTINGS](#)

▶ [REWRITE RESULTS](#)

▶ [NO RESULTS BEHAVIOR](#)

コンテンツ : Video を追加。

- ☐ コンテンツ: Updated/commented date
The most recent of last comment posted or
- ☒ コンテンツ: Video
Appears in: node:video_article.
- ☐ コンテンツ: Video - Description
Appears in: node:video_article.

Appears in: node:video_article.

☐ Create a label

Enable to create a label for this field.

☒ Exclude from display

Enable to load this field as hidden. Often u:

Formatter

Thumbnail Preview ▼

画像のスタイル

Latest: Mobile Landscape ▼

Link thumbnail to

コンテンツ ▼

▶ **STYLE SETTINGS**

コンテンツ : Image を追加。

Show a marker if the content is new or updated.

☐ コンテンツ: Image

Appears in: node:blog.

☒ コンテンツ: Image

Appears in: node:article.

☐ コンテンツ: Last comment author

The name of the author of the last posted comment.

Appears in: node:article.

☐ Create a label

Enable to create a label for this field.

☒ Exclude from display

Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

Formatter

Adaptive image ▼

画像へのリンク

コンテンツ ▼

CLIENT WIDTH BREAKPOINT	画像のスタイル
719 px	Latest: Mobile Landscape ▼
px	なし(オリジナル画像) ▼
px	なし(オリジナル画像) ▼
px	なし(オリジナル画像) ▼
px	なし(オリジナル画像) ▼
最大	Latest ▼
Image style to use when the client width exceeds the widest value specified above.	
Fallback	Latest ▼
Image style to use when the client does not support JavaScript.	

フィールドに Global : Custom text を追加します。

検索 フィルター

- ☐ Global: Contextual Links
Display fields in a contextual links menu.
- ☒ Global: Custom text
Provide custom text or link.
- ☐ Global: Math expression
Evaluates a mathematical expression and displays it.

以下のテキストを追加します。

Provide custom text or link.

☐ Create a label
Enable to create a label for this field.

☐ Exclude from display
Enable to load this field as hidden. Often used to group fields, or to use as token in a

テキスト

```
<div class="views-field views-field-field-image [field_article_type]">
<div class="field-content">[field_slideshow_images][field_video][field_image]</div>
</div>
```

The text to display for this field. You may include HTML. You may enter data from this vi
"Replacement patterns" below.

▶ **REPLACEMENT PATTERNS**

```
<div class="views-field views-field-field-image [field_article_type]">
<div class="field-content">[field_slideshow_images][field_video][field_image]</div>
</div>
```

フィールドに、(author) User: Name を追加します。

////////////////////////////////////
////

申し訳ございませんが、ここからは省略しています。

[Fields] (author) User: Name

Configure field: User: Name

For This page (override)

The user or author name.

Relationship
author

☒ **Create a label**
Enable to create a label for this field.

☐ **Exclude from display**
Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

☒ **Link this field to its user**
Enable to override this field's links.

STYLE SETTINGS

NO RESULTS BEHAVIOR

REWRITE RESULTS

MORE

Apply (this display) Cancel Remove

[Fields] (author) User: Name

[Fields] Content: Updated date

Configure field: Content: Updated date

For

This page (override)

The date the content was last updated.

☐ Create a label

Enable to create a label for this field.

☐ Exclude from display

Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

Date format

Time ago (with "ago" appended)

Custom date format

If "Custom", see the [PHP manual](#) for date formats. Otherwise, enter the number of different time units to display, which defaults to 2.

► STYLE SETTINGS

► REWRITE RESULTS

► NO RESULTS BEHAVIOR

► MORE

Apply (this display)

Cancel

Remove

[Fields] Content: Updated date

[Fields] Content: Title

Configure field: Content: Title

For This page (override)

The content title.

☐ **Create a label**
Enable to create a label for this field.

☐ **Exclude from display**
Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

☒ **Link this field to the original piece of content**
Enable to override this field's links.

► **STYLE SETTINGS**

► **NO RESULTS BEHAVIOR**

► **REWRITE RESULTS**

► **MORE**

Apply (this display) Cancel Remove

[Fields] Content: Title

[Fields] Content: Body

Configure field: Content: Body

For This page (override)

Appears in: node:page, node:article, node:blog, node:forum, node:video_article, node:slideshow_article, node:webform.

☒ **Create a label**
Enable to create a label for this field.

☐ **Exclude from display**
Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

Formatter
Summary or trimmed

Trim length
150

[▶ STYLE SETTINGS](#)

[▶ NO RESULTS BEHAVIOR](#)

[▶ REWRITE RESULTS](#)

[▶ MORE](#)

Apply (this display) Cancel Remove

[Fields] Content: Body

[Fields] Global: Fieldset

Configure field: Global: Fieldset

For

Adds a fieldset to put fields and other fieldsets in.

Fieldset title *

The back-end admin label and default front-end fieldset legend. You can override the fieldset legend by rewriting below. Will be translated either way.

Display type

A <fieldset> will always show its title as <legend>. A <div> will never show the title.

HTML classes

The usual Views row tokens are available. If you leave this empty, the untranslated *Fieldset title* will be added.

HTML ID

The usual Views row tokens are available. You want to make sure this ID is very unique by using tokens.

☐ Collapsible

☐ Collapsed

REWRITE RESULTS
This will alter the fieldset <legend>. Default would be the above *Fieldset title*.

☐ Rewrite the output of this field
Enable to override the output of this field with custom text or replacement tokens.

☐ Remove whitespace
If checked, all whitespaces at the beginning and the end of the output will be removed.

☐ Convert newlines to HTML
 tags
If checked, all newlines chars (e.g. \n) are converted into HTML
 tags.

[Fields] Global: Fieldset

[Fields] Content statistics: Total views

Configure field: Content statistics: Total views

For This page (override)

The total number of times the node has been viewed.

☒ **Create a label**
Enable to create a label for this field.

Label
Hits

☒ **Place a colon after the label**

☐ **Exclude from display**
Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

Thousands marker
- None -
Comma

What single character to use as the thousands separator.

☐ **Format plural**
If checked, special handling will be used for plurality.

Prefix

Text to put before the number, such as currency symbol.

Suffix

Text to put after the number, such as currency symbol.

STYLE SETTINGS

NO RESULTS BEHAVIOR

Apply (this display) Cancel Remove

[Fields] Content statistics: Total views

[Fields] Content: Path

Configure field: Content: Path

For This page (override)

The aliased path to this content.

☐ **Create a label**
Enable to create a label for this field.

☒ **Exclude from display**
Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

STYLE SETTINGS

NO RESULTS BEHAVIOR

REWRITE RESULTS

MORE

Apply (this display) Cancel Remove

[Fields] Content: Path

Apply (this display)

Cancel

Remove

[Fields] Content statistics: Total views

[Fields] Content: Path

Configure field: Content: Path

For This page (override)

The aliased path to this content.

Create a label

Enable to create a label for this field.

Exclude from display

Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

STYLE SETTINGS

NO RESULTS BEHAVIOR

REWRITE RESULTS

MORE

Apply (this display)

Cancel

Remove

[Fields] Content: Path

[Fields] Content: Comment count

Configure field: Content: Comment count

For This page (override)

The number of comments a node has.

Create a label

Enable to create a label for this field.

Exclude from display

Enable to load this field as hidden. Often used to group fields, or to use as token in another field.

Thousands marker

None

Comma

What single character to use as the thousands separator.

Format plural

If checked, special handling will be used for plurality.

Singular form

1 Comment

Text to use for the singular form.

Plural form

@count Comments

Text to use for the plural form, @count will be replaced with the value.

Prefix

Text to put before the number, such as currency symbol.

Coeff

Apply (this display)

Cancel

Remove

[Fields] Content: Comment count

[Filter Criteria] Content: Type

36

[Filter Criteria] Content: Type

Configure filter criterion: Content: Type

For All displays

The content type (for example, "blog entry", "forum post", "story", etc).

☐ Expose this filter to visitors, to allow them to change it

Operator

☒ Is one of

☐ Is not one of

☐ Is empty (NULL)

☐ Is not empty (NOT NULL)

Content types

☒ Article

☐ Basic page

☐ Blog entry

☐ Forum topic

☐ Poll

☒ Slideshow Article

☒ Video Article

[MORE](#)

Apply (all displays) Cancel Remove

[Filter Criteria] Content: Type

[Header] Global: Text area

Configure Header: Global: Text area

For All displays

Provide markup text for the area.

Label

The label for this area that will be displayed only administratively.

☐ Display even if view has no result

```
<h1 class="page-title">Latest</h1>
```

Text format Full HTML

[More information about text formats ?](#)

- Web page addresses and e-mail addresses turn into links automatically.
- Lines and paragraphs break automatically.

☐ Use replacement tokens from the first row

[MORE](#)

Apply (all displays) Cancel Remove

[Header] Global: Text area

view plain print ?

01.

```
<h1 class="page-title">Latest</h1>
```

02.

<h1 class="page-title">Latest</h1>

[Header] Global: Menu area

Configure Header: Global: Menu area

For All displays

Provides an link item list from specified menu.

Label

The label for this area that will be displayed only administratively.

☐ Display even if view has no result

Select menu *
Layout Menu

Choose the menu you want to list the links from.

► MORE

Apply (all displays) Cancel Remove

[Header] Global: Menu area

[Pager] Load More Pager

Configure Header: Global: Menu area

For All displays

Provides an link item list from specified menu.

Label

The label for this area that will be displayed only administratively.

☐ Display even if view has no result

Select menu *
Layout Menu

Choose the menu you want to list the links from.

► MORE

Apply (all displays) Cancel Remove


[Pager] Load More Pager

[Other] CSS Class:

```
view plain print ?
01. common-view latest-view-grid-layout load-more-view grid-view-match-
02. heights tb-overlay-icon
```

common-view latest-view-grid-layout load-more-view grid-view-match-heights tb-overlay-icon

Article 記事を 2 ページ、Video を 1 ページ追加した Frontpag を表示した状態です。CSS などは合
っていませんが、機能面だけ確認ということになります。



クレジット、謝辞、ライセンス

クレジット

このマニュアルの著者は、Gennai3 株式会社の程田和義です。

お問合せ 電子メール hodota@gennai3.co.jp 電話 044-220-1588

謝辞

本マニュアル作成は、Themebrain 社のサイトおよび Drupal.org サイトを参考にしました。心より感謝いたします。

出典： themebrain.com Drupal.org

ライセンス

Drupal は Dries Buytaert による登録商標です。その他本マニュアルで使われている製品および名称については、それぞれの所有者の商標または登録商標です。